

Author index

Agaba M, Kemp SJ, Barendse W & Teale A: Genetic mapping of bovine T-cell receptor complex loci, 235

Aguirre GD *see* Wang W

Ajmone-Marsan P, Valentini A, Cassandro M, Vecchiotti-Antaldi G, Bertoni G & Kuiper M: AFLPTM markers for DNA fingerprinting in cattle, 418

Alcivar-Warren A, Dunham R, Gaffney P, Kocher T & Thorgaard G: First aquaculture species genome mapping workshop, 451

Alexander LJ *see* Rohrer GA

Amano T *see* Kikkawa Y

Amarante MRV *see* Schläpfer J

Amills M *see* Francino O

Anderson Dear DV *see* Petiot A

Anderson GB *see* Gutiérrez-Adán A

Anderson L *see* Davies CJ
see also Rohrer GA
see also Russell GC

Archibald AL *see* Rohrer GA

Armour JAL *see* Gibbs M

Ashwell MS, Rexroad CE, Miller RH, VanRaden PM & Da Y: Detection of loci affecting milk production and health traits in an elite US Holstein population using microsatellite markers, 216

Atsuta A *see* Mannen H

Aznar MP *see* García-Muro E

Bacon LD *see* Vallejo RL

Bailey E, Reid RC, Skow LC, Mathias K, Lear TL & McGuire TC: Linkage of the gene for equine combined immunodeficiency disease to microsatellite markers HTG8 and HTG4; synteny and FISH mapping to ECA9, 268

Bailey E *see also* Google L

Band M, Eggen A, Bishop MD & Ron M: ARO81: a polymorphic X-linked bovine microsatellite, 245

Band M, Eggen A, Bishop MD & Ron M: Isolation of Microsatellites from a bovine YAC clone harbouring the *SOD1* gene, 363

Band M, Vaiman D, Cribiu EP & Ron M: Four bovine microsatellites derived from a sorted chromosome 25 library, 240

Barendse W *see* Agaba M
see also Byrne K
see also Karall C
see also Martín-Burriel I

Barker JSF, Moore SS, Hetzel DJS, Evans D, Tan SG & Byrne K: Genetic diversity of Asian water buffalo (*Bubalus bubalis*): microsatellite variation and a comparison with protein-coding loci, 103

Barker JSF, Tan, SG, Selvaraj OS & Mukherjee TK: Genetic variation within and relationships among populations of Asian water buffalo (*Bubalus bubalis*), 1

Bates SRE *see* Heyen DW

Bautista M *see* Eggleston-Stott ML

Beattie CW *see* de Gortari MJ
see also Grosz MD
see also Hu Z
see also Kappes SM
see also McGraw RA
see also Rohrer GA
see also Stone RT

Beever JE, Fisher SR & Lewin HA: Polymorphism identification in the *ACADM*, *AT3*, *IL10*, *MYOG*, and *TSHB* genes of cattle, 373

Beever JE *see also* Fisher SR
see also Heyen DW

Bell DJ *see* Surridge AK

Benkel BF & Grunder AA: PCR-based diagnostic tests for the endogenous retroviral elements ev-B1 and ev-B5 of chickens, 316

Benkel BF, Grunder AA, Burke D & de León FAP: Diagnostic tests for the endogenous ALV-type provirus ev-B3 of broiler chickens, 238

Bergé R *see* Dufour E

Bertoni G *see* Ajmone-Marsan P

Bierbooms VAF *see* Crooijmans RPMA

Binns MM *see* Swinburne JE
see also Thomas R

Bishop MD *see* Band M
see also Band M
see also Kappes SM

Bitgood JJ *see* Wei R

Bjørnstad G *see* Røed KH

Bonnet M *see* Robic A

Bosworth BG *see* Waldbieser GC

Bouza C, Sánchez L & Martínez P: Gene diversity analysis in natural populations and cultured stocks of turbot (*Scophthalmus maximus* L.), 28

Bowling AT, Eggleston-Stott ML, Byrns G, Clark RS, Dileanis S & Wictum E: Validation of microsatellite markers for routine horse parentage testing, 247

Bowling AT *see also* Eggleston-Stott M
see also Eggleston-Stott ML

Breen M *see* Swinburne JE
see also Thomas R

Brenig B *see* Kriegesmann B

Brenneman RA *see* Marquess FLS

Broom MF *see* Phua SH

Bruusgaard K *see* Holm L-E

Bumstead N *see* Toye AA
see also Toye AA

Burke D *see* Benkel BF

Burke T *see* Gibbs M
see also Hanotte O

Byla B *see* Larsen NJ

Byrne K, Johnson S, Barendse W & Moore SS: Five bovine microsatellite markers derived from a bovine cosmid library: CSKB067, CSKB068, CSKB071, CSKB072 and CSKB074, 157

Byrne K *see also* Barker JSF
see also Moore SS

Byrns G *see* Bowling AT

Cambridge LM, C, Sadhgig M & Galloway SM: A *Scal* polymorphism at the ovine monoamine oxidase A locus (MAOA), 457

Carbone M, Di Gregorio P, Rando A, Senese C, Urciuoli M & Masina P: PZ103: a polymorphic bovine microsatellite, 154

Casa-Carrillo E, Prill-Adams A, Price SG, Clutter AC & Kirkpatrick BW: Relationship of growth hormone and insulin-like growth factor-1 genotypes with growth and carcass traits in offspring of purebred and crossbred swine sires, 88

Cassandro M *see* Ajmone-Marsan P

Cepica S *see* Knoll A
see also Kopečný M
see also Stratil A

Cerotti G *see* Zanotti M

Chen S *see* Cole SA

Cheng HH *see* Okimoto R
see also Vallejo RL

Chikuni K, Fukumoto Y, Tanabe R, Muroya S & Ozawa S: Simple method for genotyping the bovine growth hormone gene, 230

Chowdhary BP *see* Olsaker I

Cízová-Schröffelová D *see* Niini T
see also Stratil A

Clark RS *see* Bowling AT

Clutter AC *see* Casa-Carrillo E

Cole SA, Chen S, Isaacson CJ & Hixson JE: *Ban II* restriction fragment length polymorphism at the apolipoprotein E (*APOE*) locus in baboons, 319

Coogee L & Bailey E: Equine dinucleotide repeat loci *LEX049*-*LEX063*, 378

Coogee L, Reid R & Bailey E: Equine dinucleotide repeat loci *LEX034* through *LEX048*, 309

Cosenza G *see* Ramunno L

Crawford AM *see* de Gortari MJ
see also Swarbrick PA

Cribiu EP *see* Band M

Crooijmans RPMA, Bierbooms VAF, Komen J, Van der Poel JJ & Groenen MAM: Microsatellite markers in common carp (*Cyprinus carpio* L.), 129

Crooijmans RPMA, Dijkhof RJM, van der Poel JJ & Groenen MAM: New microsatellite markers in chicken optimized for automated fluorescent genotyping, 427

Cross T *see* Daemen E

Cushwa WT *see* Gutiérrez-Adán A

Czarnik U & Kamiński S: Detection of intronic sequence in the bovine *ITGB2* gene, 320

Da Y *see* Ashwell MS
see also Heyen DW

Daemen E, Volckaert F, Cross T & Ollevier F: Four polymorphic microsatellite markers in the European eel *Anguilla anguilla* (L.), 68

Author index

Agaba M, Kemp SJ, Barendse W & Teale A: Genetic mapping of bovine T-cell receptor complex loci, 235

Aguirre GD *see* Wang W

Ajmone-Marsan P, Valentini A, Cassandro M, Vecchiotti-Antaldi G, Bertoni G & Kuiper M: AFLPTM markers for DNA fingerprinting in cattle, 418

Alcivar-Warren A, Dunham R, Gaffney P, Kocher T & Thorgaard G: First aquaculture species genome mapping workshop, 451

Alexander LJ *see* Rohrer GA

Amano T *see* Kikkawa Y

Amarante MRV *see* Schläpfer J

Amills M *see* Francino O

Anderson Dear DV *see* Petiot A

Anderson GB *see* Gutiérrez-Adán A

Andersson L *see* Davies CJ
see also Rohrer GA
see also Russell GC

Archibald AL *see* Rohrer GA

Armour JAL *see* Gibbs M

Ashwell MS, Rexroad CE, Miller RH, VanRaden PM & Da Y: Detection of loci affecting milk production and health traits in an elite US Holstein population using microsatellite markers, 216

Atsuta A *see* Mannen H

Aznar MP *see* García-Muro E

Bacon LD *see* Vallejo RL

Bailey E, Reid RC, Skow LC, Mathias K, Lear TL & McGuire TC: Linkage of the gene for equine combined immunodeficiency disease to microsatellite markers HTG8 and HTG4; synteny and FISH mapping to ECA9, 268

Bailey E *see also* Google L

Band M, Eggen A, Bishop MD & Ron M: ARO81: a polymorphic X-linked bovine microsatellite, 245

Band M, Eggen A, Bishop MD & Ron M: Isolation of Microsatellites from a bovine YAC clone harbouring the *SOD1* gene, 363

Band M, Vaiman D, Cribiu EP & Ron M: Four bovine microsatellites derived from a sorted chromosome 25 library, 240

Barendse W *see* Agaba M
see also Byrne K
see also Karall C
see also Martín-Burriel I

Barker JSF, Moore SS, Hetzel DJS, Evans D, Tan SG & Byrne K: Genetic diversity of Asian water buffalo (*Bubalus bubalis*): microsatellite variation and a comparison with protein-coding loci, 103

Barker JSF, Tan, SG, Selvaraj OS & Mukherjee TK: Genetic variation within and relationships among populations of Asian water buffalo (*Bubalus bubalis*), 1

Bates SRE *see* Heyen DW

Bautista M *see* Eggleston-Stott ML

Beattie CW *see* de Gortari MJ
see also Grosz MD
see also Hu Z
see also Kappes SM
see also McGraw RA
see also Rohrer GA
see also Stone RT

Beever JE, Fisher SR & Lewin HA: Polymorphism identification in the *ACADM*, *AT3*, *IL10*, *MYOG*, and *TSHB* genes of cattle, 373

Beever JE *see also* Fisher SR
see also Heyen DW

Bell DJ *see* Surridge AK

Benkel BF & Grunder AA: PCR-based diagnostic tests for the endogenous retroviral elements ev-B1 and ev-B5 of chickens, 316

Benkel BF, Grunder AA, Burke D & de León FAP: Diagnostic tests for the endogenous ALV-type provirus ev-B3 of broiler chickens, 238

Bergé R *see* Dufour E

Bertoni G *see* Ajmone-Marsan P

Bierbooms VAF *see* Crooijmans RPMA

Binns MM *see* Swinburne JE
see also Thomas R

Bishop MD *see* Band M
see also Band M
see also Kappes SM

Bitgood JJ *see* Wei R

Bjørnstad G *see* Røed KH

Bonnet M *see* Robic A

Bosworth BG *see* Waldbieser GC

Bouza C, Sánchez L & Martínez P: Gene diversity analysis in natural populations and cultured stocks of turbot (*Scophthalmus maximus* L.), 28

Bowling AT, Eggleston-Stott ML, Byrns G, Clark RS, Dileanis S & Wictum E: Validation of microsatellite markers for routine horse parentage testing, 247

Bowling AT *see also* Eggleston-Stott M
see also Eggleston-Stott ML

Breen M *see* Swinburne JE
see also Thomas R

Brenig B *see* Kriegesmann B

Brenneman RA *see* Marquess FLS

Broom MF *see* Phua SH

Bruusgaard K *see* Holm L-E

Bumstead N *see* Toye AA
see also Toye AA

Burke D *see* Benkel BF

Burke T *see* Gibbs M
see also Hanotte O

Byla B *see* Larsen NJ

Byrne K, Johnson S, Barendse W & Moore SS: Five bovine microsatellite markers derived from a bovine cosmid library: CSKB067, CSKB068, CSKB071, CSKB072 and CSKB074, 157

Byrne K *see also* Barker JSF
see also Moore SS

Byrns G *see* Bowling AT

Cambridge LM, C, Sadhgig M & Galloway SM: A *Scal* polymorphism at the ovine monoamine oxidase A locus (MAOA), 457

Carbone M, Di Gregorio P, Rando A, Senese C, Urciuoli M & Masina P: PZ103: a polymorphic bovine microsatellite, 154

Casa-Carrillo E, Prill-Adams A, Price SG, Clutter AC & Kirkpatrick BW: Relationship of growth hormone and insulin-like growth factor-1 genotypes with growth and carcass traits in offspring of purebred and crossbred swine sires, 88

Cassandro M *see* Ajmone-Marsan P

Cepica S *see* Knoll A
see also Kopečný M
see also Stratil A

Cerotti G *see* Zanotti M

Chen S *see* Cole SA

Cheng HH *see* Okimoto R
see also Vallejo RL

Chikuni K, Fukumoto Y, Tanabe R, Muroya S & Ozawa S: Simple method for genotyping the bovine growth hormone gene, 230

Chowdhary BP *see* Olsaker I

Cízová-Schröffelová D *see* Niini T
see also Stratil A

Clark RS *see* Bowling AT

Clutter AC *see* Casa-Carrillo E

Cole SA, Chen S, Isaacson CJ & Hixson JE: *Ban II* restriction fragment length polymorphism at the apolipoprotein E (*APOE*) locus in baboons, 319

Coogee L & Bailey E: Equine dinucleotide repeat loci *LEX049*-*LEX063*, 378

Coogee L, Reid R & Bailey E: Equine dinucleotide repeat loci *LEX034* through *LEX048*, 309

Cosenza G *see* Ramunno L

Crawford AM *see* de Gortari MJ
see also Swarbrick PA

Cribiu EP *see* Band M

Crooijmans RPMA, Bierbooms VAF, Komen J, Van der Poel JJ & Groenen MAM: Microsatellite markers in common carp (*Cyprinus carpio* L.), 129

Crooijmans RPMA, Dijkhof RJM, van der Poel JJ & Groenen MAM: New microsatellite markers in chicken optimized for automated fluorescent genotyping, 427

Cross T *see* Daemen E

Cushwa WT *see* Gutiérrez-Adán A

Czarnik U & Kamiński S: Detection of intronic sequence in the bovine *ITGB2* gene, 320

Da Y *see* Ashwell MS
see also Heyen DW

Daemen E, Volckaert F, Cross T & Ollevier F: Four polymorphic microsatellite markers in the European eel *Anguilla anguilla* (L.), 68

Dalens M *see* Robic A
 Davey HW *see* McCracken JY
see also Wilkins RJ
 Davies CJ, Andersson L, Ellis SA, Hensen EJ, Lewin HA, Mikko S, Muggli-Cockett NE, van der Poel JJ & Russell GC: Nomenclature for factors of the BoLA system, 1996. Report of the ISAG BoLA Nomenclature Committee, 159
 Davies CJ *see also* Russell GC
 Davies KP & Maddox JF: Genetic linkage mapping of three anonymous ovine EST microsatellites: KD101, KD103, KD721, 455
 Davies KP *see also* Drinkwater R
 Davis ME *see* Ge W
 Davis SK *see* Marquess FLS
see also Taylor JF
see also Yeh C-C
 Dawson D *see* Hanotte O
see also Gibbs M
 de Gortari MJ, Freking BA, Kappes SM, Leymaster KA, Crawford AM, Stone RT & Beattie CW: Extensive genomic conservation of cattle microsatellite heterozygosity in sheep, 274
 de León FAP *see* Benkel BF
 Del Bo L *see* Zanotti M
 Delaville A *see* Eggleston-Stott M
see also Eggleston-Stott ML
 DeNise SK *see* Maciulla JH
 Dentine MR *see* Wei R
 Derr JN *see* Piedrahita JA
 Di Gregorio P *see* Carbone M
see also Senese C
 Dickens HF *see* Thomas R
 Dijkhof RJM *see* Crooijmans RPMA
 Dileanis S *see* Bowring AT
see also Eggleston-Stott M
 Dodgson JB *see* Okimoto R
 Dolf G, Schläpfer J, Jörg H, Ladon D & Switonski M: Assignment of the canine microsatellite CanBern6 to the canine chromosome group 22 to 38, 453
 Dolf G, Schläpfer J, Parfitt C, Schelling C, Zajac M, Switonski M & Ladon D: Assignment of the canine microsatellite CanBern1 to canine chromosome 13q21, 156
 Dovc P *see* Susnik S
 Drinkwater R, Harrison B, Davies KP & Maddox JF: Ovine anonymous dinucleotide repeat polymorphism at the CSRD264, CSRD269, CSRD270, CSRD287, CSRD2108, CSRD2138 and CSRD2164 loci, 71
 Drinkwater R *see also* Frisch JE
 Drögemüller C, Thieven U & Harlizius B: An *Ava*1 and a *Msp*AII polymorphism at the porcine oestrogen receptor (ESR) gene, 59
 Dufour E, Morisson M, Bergé R & Vignal A: Seven mapped polymorphic chicken microsatellite markers, 59
 Dunham R *see* Alcivar-Warren A
 Duniec M *see* Nogaj A
see also Nogaj A
 Dvoák J *see* Knoll A
 Eggen A *see* Band M
see also Larsen NJ
 Eggleston-Stott M, Delaville A, Dileanis S, Wictum E & Bowring AT: A single base transversion in the flanking region of an equine microsatellite locus affects amplification of one allele, 438
 Eggleston-Stott ML, DelValle A, Bautista M, Dileanis S, Wictum E & Bowring AT: Nine equine dinucleotide repeats at microsatellite loci UCDEQ405, UCDEQ412, UCDEQ425, UCDEQ437, UCDEQ467, UCDEQ487, UCDEQ502 and UCDEQ505, 371
 Eggleston-Stott ML *see also* Bowring AT
 Elduque C, Zaragoza P & Womack JE: An EcoRI polymorphism at the beta-nerve growth factor (NGF) locus in cattle, 322
 Ellis SA *see* Davies CJ
see also Russell GC
 Erhardt G *see* Prinzenberg E-M
see also Prinzenberg E-M
see also Prinzenberg E-M
 Erkens JHF *see* Soumilion A
 Evans D *see* Barker JSF
 Everts RE *see* Heyen DW
 Ewald SJ *see* Li L
 Fairfull W *see* Kuhnlein U
 Fischer PE *see* Thomas R
 Fisher SR, Beever JE & Lewin HA: Genetic mapping of five human chromosome 4 orthologues to bovine chromosomes 6 and 17, 253
 Fisher SR *see also* Beever JE
 Flickinger GH *see* Rohrer GA
 Francino O, Amills M & Sánchez A: Canine *Mhc* DRB1 genotyping by PCR-RFLP analysis, 41
 Fredholm M *see* Rohrer GA
 Freking BA *see* de Gortari MJ
 Fries R *see* Grosz MD
 Frisch JE, Drinkwater R, Harrison B & Johnson S: Classification of the southern African sanga and east African shorthorned zebu, 77
 Fukumoto Y *see* Chikuni K
 Furet JP *see* Moazami-Goudarzi K
 Gaffney P *see* Alcivar-Warren A
 Gal A *see* Veske A
 Galibert F *see* Jiang ZH
 Gallagher Jr DS *see* Ryan AM
see also Weakly RL
 Galloway SM *see* Cambridge LM
 Gao Q, Li L & Womack JE: Assignment of the casein kinase II gene family to cattle chromosomes, 146
 García-Muro E, Aznar MP, Rodellar C & Zaragoza P: Sex-specific PCR/RFLPs in the canine ZFY/ZFX loci, 156
 Gavora JS *see* Kuhnlein U
 Gawahara H *see* Kakoi H
 Ge W, Davis ME & Hines HC: Two SSCP alleles detected in the 5'-flanking region of bovine *IGF1* gene, 155
 Geldermann H *see* Knorr C
see also Stratil A
 Gellin J *see* Robic A
 Gibbs M, Dawson DA, McCamley C, Wardle AF, Armour JAL & Burke T: Chicken microsatellite markers isolated from libraries enriched for simple tandem repeats, 401
 Giraud-Delville C *see* Méténier-Delisse L
 Gomez-Raya I *see* Sundvolde H
 Goodman SJ: Dinucleotide repeat polymorphisms at seven anonymous microsatellite loci cloned from the European harbour seal (*Phoca vitulina*), 310
 Gould DJ, Petersen-Jones SM, Lin CT & Sargent DR: Cloning of canine *rom-1* and its investigation as a candidate gene for generalized progressive retinal atrophies in dogs, 391
 Green C *see* Heyen DW
 Grimholt U, Olsaker I, Lingaa F & Lie Ø: Sequence analysis of MHC class I $\alpha 2$ domain exon variants in one diploid and two haploid Atlantic salmon pedigrees, 385
 Groenen MAM *see* Crooijmans RPMA
see also Rohrer GA
 Grosclaude F *see* Méténier-Delisse L
see also Moazami-Goudarzi K
 Gross WM *see* McGraw RA
 Grosz MD, Solinas-Toldo S, Stone RT, Kappes SM, Fries R & Beattie CW: Chromosomal localization of six bovine microsatellite markers, 39
 Grunder AA *see* Benkel BF
 Gu WK & Ray K: A polymorphic (TTTA)_n tandem repeat in an intron of the canine factor IX gene, 370
 Guérin G *see* Méténier-Delisse L
 Guerra TM *see* Yeh C-C
 Gundersen L *see* Olsaker I
 Gutttersrud OA *see* Olsaker I
 Gutiérrez-Adán A, Cushwa WT, Anderson GB & Medrano JF: Ovine specific Y-chromosome RAPD/SCAR marker for embryo sexing, 135
 Haley CS *see* van Heelsum AM
 Hanotte O, Okomo M, Verjee Y, Rege E & Teale A: A polymorphic Y chromosome microsatellite locus in cattle, 319
 Hanotte O, Pugh A, Maicher C, Dawson D & Burke T: Nine novel chicken microsatellite loci and their utility in other galliformes, 312
 Harlizius B *see* Drögemüller C
 Harrison B *see* Drinkwater R
see also Frisch JE
 Harumi T *see* Sulandari S
 Hawkins GA *see* Kappes SM
 Hayes H *see* Larsen NJ
see also Méténier-Delisse L
 He K, Wilton SD, Tate ML & Murphy MP: Characterisation of the erythrocyte superoxide dismutase allozymes in the deer *Cervus elaphus*, 299
 Heltemes LM, Tuggle CK & Lamont SJ: Isolation and mapping of two chicken POU family genes and the identification of a synthetic group with human and mouse, 346
 Heltemes LM, Tuggle CK & Lamont SJ: *Taq*1 polymorphism in Oct-1 in chickens, 70

Hensen EJ *see* Davies CJ
see also Russell GC

Hetzell DJS *see* Barker JSF

Hewitt GM *see* Surridge AK

Heyen DW, Beever JE, Da Y, Everts RE, Green C, Bates SRE, Ziegler JS & Lewin HA: Exclusion probabilities of 22 bovine microsatellite markers in fluorescent multiplexes for semi-automated parentage testing, 21

Hiendleder S *see* Prinzenberg E-M

Hillers KR *see* Meyer AH

Hines HC *see* Ge W

Hiromura K, Sakagami M, Mashima S & Mukoyama H: Mononucleotide repeat polymorphisms within the poly-A region of equine SINEs, 242

Hixon JE *see* Cole SA

Holder MT *see* Yeh C-C

Holm L-E & Brusgaard K: A polymorphic dinucleotide microsatellite in rainbow trout (*Oncorhynchus mykiss*): OmDIAS1, 315

Holmes NG *see* Thomas R

Hoyheim B *see* Rohrer GA

Hsei M *see* Smith EJ

Hu Z, Rohrer GA, Stone RT & Beattie CW: Nebulin (NEB) maps to porcine chromosome (SSC) 15, 60

Huang H-B *see* Smith EJ

Iraqi F *see* Nave A

Isaacson CJ *see* Cole SA

Jamieson A & Taylor StCS: Comparisons of three probability formulae for parentage exclusion, 397

Jansen S *see* Kriegesmann B

Jeffreys AJ *see* Signer EN

Jiang ZH, Jouquand S & Galibert F: Identification and characterization of a SSCP marker in the canine signal sequence receptor beta subunit gene, 460

Johnson LW *see* Li L

Johnson S *see* Byrne K
see also Frisch JE

Jörg H *see* Dolf G, Ladon D

Jouquand S *see* Jiang ZH

Kakoi H & Kawahara H: Genetic relationship between equine apolipoprotein A4 and A1, 306

Kalm E *see* Karall C

Kamiski S *see* Czarnik U

Kappes SM, Hawkins GA, Bishop MD & Beattie CW: Characterization of eleven bovine microsatellites from cosmid clones, 239

Kappes SM *see also* de Gortari MJ
see also Grosz MD
see also McGraw RA
see also Stone RT

Karall C, Loof C, Barendse W & Kalm E: Detection and mapping of a point mutation in the bovine butyrophilin gene using F-SSCP-analysis, 67

Karlsson L *see* Olsaker I

Kashi Y *see* Nave A

Kata SR *see* Schläpfer J

Keele JW *see* Stone RT

Kemp SJ *see* Agaba M
see also Zanotti M

Khatib H *see* Nave A

Kikkawa Y, Yonekawa H, &: Analysis of genetic diversity of domestic water buffaloes and anas based on variations in the mitochondrial gene for cytochrome b, 195

Kim SJ *see* Lee TH

Kirkpatrick BW *see* Casa-Carrillo E

Klungland H *see* Lien SH

Knoll A, Nebola M, Dvořák J & Čepica S: Detection of a *Ddel* PCR RFLP within intron 1 of the porcine *MYOD1* (*MYF3*) locus, 321

Knorr C, Moser C, Müller E & Geldermann H: Associations of GH variants with performance traits in *F*₂ generations of European wild boar, Pietrain and Meishan pigs, 124

Kocher T *see* Alcivar-Warren A

Kogi JK *see* Yeh C-C

Kohlmann K, Kersten P & Luczynski M: New polymorphism in glucosephosphate isomerase (GPI) of a wild common carp (*Cyprinus carpio* L.) from Vietnam, 314

Komen J *see* Crooijmans RPMA

Kopečný M, Stratil A & Čepica S: Polymorphism at the porcine LEPR gene detected by PCR-DGGE, 461

Kriegesmann B, Jansen S, Pfeiffer I & Brenig B: Characterization of the *COXP1* gene polymorphisms and estimation of allele frequencies in the lower saxony holstein population, 382

Kuhnlein U, Ni L, Weigend S, Gavora JS, Fairfull W & Zadworny D: DNA polymorphisms in the chicken growth hormone gene: response to selection for disease resistance and association with egg production, 116

Kuiper M *see* Ajmone-Marsan P

Ladon D *see* Dolf G
see also Dolf G

Laloë D *see* Moazami-Goudarzi K

Lamont SJ *see* Heltemes LM

Larsen NJ *see* Nielsen VH

Larsen NJ, Eggen A, Hayes H, Byla B, Doud L, Bishop MD & Kirkpatrick BW: UW54 and UW63, two polymorphic bovine microsatellites on chromosome 6 and 8q18, respectively, 377

Lear TL *see* Bailey E

Lee KK *see* Lee TH

Lee TH, Shimazaki K, Nam MS, Yu SL, Kim SJ, Lee KK & Yu DY: Polymorphic sequences of Korean native goat lactoferrin exhibiting stronger antibacterial activity, 367

Lenstra JA *see* Soumilion A

Leroux C *see* Méténier-Delisse L

Lester DH *see* Usha AP

Levéziel H *see* Méténier-Delisse L

Lewin HA *see* Beever JE
see also Davies CJ
see also Fisher SR
see also Heyen DW
see also Russell GC

Leymaster KA *see* de Gortari MJ

Li L, Johnson LW & Ewald SJ: Molecular characterization of major histocompatibility complex (B) haplotypes in broiler chickens, 258

Li L *see also* Gao Q

Lie Ø *see* Grimholt U

Lien SH, Sundvold H, Klungland H & Våge DI: Two novel polymorphisms in the bovine obesity gene (OBS), 245

Lien SH *see also* Sundvold H

Lin CT *see* Gould DJ

Linggaas F *see* Grimholt U

Liu HC *see* Vallejo RL

Longeri M *see* Zanotti M

Longobardi E *see* Ramunno L

Loof C *see* Karall C

Lutaaya E *see* Taylor JF

Lymbery AJ *see* Sutarno

Macchiotti NPP *see* Ramunno L

Maciulla JH, Zhang HM & DeNise SK: A novel polymorphism in the bovine insulin-like growth factor binding protein-3 (*IGFBP3*) gene, 375

Maddox JF *see* Davies KP
see also Drinkwater R

Malcolm N *see* Moore SS

Mannen H, Morimoto M, Yasui M, Atsuta A & Tsuji S: A highly polymorphic minisatellite locus (KBMS2) in bovine, 456

Mariani P *see* Rohrer GA

Marklund L *see* Rohrer GA

Marquess FLS, Brenneman RA, Schmutz SM, Taylor JF & Davis SK: A highly polymorphic bovine dinucleotide repeat *SOD1MICRO2*, 70

Marti E *see* Swinburne JE

Martin P *see* Méténier-Delisse L

Martín-Burriel I, Osta R & Zaragoza P: A SINE associated polymorphism at the bovine retinol binding protein 3 gene, 150

Martín-Burriel I, Osta R, Barendse W & Zaragoza P: Linkage mapping of a Bovine α -Lactalbumin Pseudogene (LALBPs) using a LINE associated polymorphism, 316

Martínez P *see* Bouza C

Mashima S *see* Hiromura K

Masina P *see* Carbone M
see also Ramunno L
see also Senese C

Mathiason K *see* Bailey E

Mäicher C *see* Hanotte O

McCamley C *see* Gibbs M

McCracken JY, Molenaar AJ, Snell RJ, Davey HW &: A polymorphic TG repeat present within the bovine STAT5A gene, 459

McGraw RA, Grosse WM, Kappes SM, Beattie CW & Stone RT: Thirty-four bovine microsatellite markers, 68

McGuire TC *see* Bailey E

Medrano JF *see* Gutiérrez-Adán A

Méténier-Delisse L, Hayes H, Leroux C, Giraud-Delville C, Levéziel H, Guérin G, &: Isolation and molecular characterization of bovine Rhesus-like

transcripts and chromosome mapping of the relevant locus, 202

Meyer AH, Valberg SJ, Hillers KR, Schweitzer JK & Mickelson JR: Sixteen new polymorphic equine microsatellites, 69

Mickelson JR *see* Meyer AH

Midthjell L *see* Røed KH

Mikko S *see* Davies CJ
 see also Russell GC

Milan D *see* Robic A
 see also Rohrer GA

Miller RH *see* Ashwell MS

Moazami-Goudarzi K, Laloë D, Furet JP & Grosclaude F: Analysis of genetic relationships between 10 cattle breeds with 17 microsatellites, 338

Molenaar AJ *see* McCracken JY

Monnerot M *see* Mougel F

Moore SS & Byrne K: An SSCP polymorphism at the bovine Melanoma Adhesion Molecule (MCAM) locus, 244

Moore SS, Byrne K & Malcolm N: Three cDNA derived bovine dinucleotide repeat polymorphisms: *CSSME069*, *CSSME070* and *CSSME076*, 377

Moore SS *see also* Barker JSF
 see also Byrne K

Moran C *see* Toye AA

Morimoto M *see* Mannen H

Morisson M *see* Dufour E

Moser C *see* Knorr C

Motavalian M *see* Senese C

Mougel F, Mounolou J-C & Monnerot M: Nine microsatellite loci in the rabbit, *Oryctolagus cuniculus*, 58

Mounolou J-C *see* Mougel F

Muggli-Cockett NE *see* Davies CJ
 see also Russell GC

Mukherjee TK *see* Barker JSF

Mukoyama H *see* Hiromura K

Muladno *see* Sulandari S

Müller E *see* Knorr C

Muroya S *see* Chikuni K

Murphy MP *see* He K

Nagel M *see* Robic A

Nam MS *see* Lee TH

Nasir L, Ndiaye M, Seely C & Stear MJ: Sequence polymorphism in the bovine major histocompatibility complex *DQB* loci, 441

Nave A, Iraqui F, Khatib H & Soller M: A PCR-based test for the presence of endogenous virus gene *evA* in chickens, 46

Nave A, Kashi Y & Soller M: Minisatellite and microsatellite length variation at a complex bovine VNTR locus, 52

Ndiaye M *see* Nasir L

Nebola M *see* Knoll A

Ni L *see* Kuhnlein U

Nielsen VH & Larsen NJ: A *DraI* RFLP at the porcine insulin-like growth factor binding protein 3 (*IGFBP3*) gene, 152

Nielsen VH & Larsen NJ: A *PstI* RFLP at the porcine *POU* domain class 1 transcription factor 1 (*POU1F1*) gene, 320

Nielsen VH & Larsen NJ: A three-allele *PstI* RFLP at the porcine glucocorticoid receptor (*GRL*) gene, 150

Nielsen VH & Larsen NJ: RFLPs at the porcine growth hormone releasing hormone (*GHRH*) gene, 152

Nielsen VH & Thomsen B: *PvuII* RFLPs at SLA class II loci: *DQA* and *DRA*, 151

Nielsen VH *see also* Rohrer GA

Niini T, Stratil A, Cízová-Schröffelová D & Sandberg K: A partially deficient and atypical equine transferrin variant, TF N, 233

Nilsson SEG *see* Veske A
 see also Veske A

Nogaj A, Duniec MJ, Ślota E & Duniec M: Three newly detected alloantigens in the U blood group system of horses, 313

Nogues C *see* Weak RL

Okimoto R, Cheng HH & Dodgson JB: Characterization of CR1 repeat random PCR markers for mapping the chicken genome, 139

Okomo M *see* Hanotte O

Olasker I *see* Sundvolde H

Ollevier F *see* Daemen E

Olsaker I, Gundersen L & Chowdhary BP: A highly polymorphic bovine dinucleotide repeat at chromosome 26q22: IOBT 730 (D26S23), 243

Olsaker I, Prakash B, Gutttersrud OA & Chowdhary BP: A genetic and physical marker for bovine chromosome 27: IOBT 313 (D27S14), 240

Olsaker I, Williams JL, Chowdhary BP, Karlsson L, Urquhart BGD & Prakash B: Physical and genetic mapping of a bovine dinucleotide repeat marker *D23S38* (IOBT1479) to chromosome 23q24-q25, 60

Olsaker I *see also* Grimholt U
 see also Reed KH

Osta R *see* Martín-Burriel I

Ozawa S *see* Chikuni K

Palma M, Afonso JM, Ginés R & López JL: A *HpaII* polymorphism in goat mitochondrial DNA, 318

Pappalardo M, Rando A, Di Gregorio P, Masina P & Ramunno L: A *Mse I* RFLP in the 5' DNA region of the goat β -casein gene, 243

Pappalardo M *see also* Ramunno L

Parfitt C *see* Dolf G

Paszek AA *see* Rohrer GA

Peelman L *see* Stratil A

Petersen-Jones SM *see* Gould DJ

Petiot A & Anderson Dear DV: Two new porcine polymorphic microsatellites, *S0533* and *S0534*, 458

Petrescu A *see* Piedrahita JA

Pfeiffer I *see* Kriegesmann B

Pharr GT *see* Vallejo RL

Phua SH & Wood NJ: RFLPs in sheep detected with human cDNA probe for interferon-induced MX1 protein, 454

Phua SH, van Stijn T & Broom MF: OarSHPq and OarSHP2: two ovine microsatellite markers and their chromosomal assignments, 456

Piedrahita JA, Weak R, Petrescu A, Shrode TW, Derr JN & Womack JE: Genetic characterization of the bovine leukaemia inhibitory factor (LIF) gene: isolation and sequencing, chromosome assignment, and microsatellite analysis, 14

Piedrahita JA *see* Weak RL

Pinton P *see* Robic A

Pohar J *see* Susnik S

Polli M *see* Zanotti M

Prakash B *see* Olsaker I

Price SG *see* Casa-Carrillo E

Prill-Adams A *see* Casa-Carrillo E

Prinzenberg E-M & Erhardt G: Bovine β -lactoglobulin I is identified by amplification created restriction site using *Smal*, 379

Prinzenberg E-M & Erhardt G: SSCP identifies bovine *CSN1S1^D*, 460

Prinzenberg E-M, Hiendleder S & Erhardt G: A trinucleotide repeat polymorphism is present in bovine *CSN1S1*, 380

Pugh A *see* Hanotte O

Ramsoondar JJ *see* Weak RL

Ramunno L, Cosenza G, Rando A, Longobardi E & Masina P: A PCR polymorphism detected in the goat α 2-casein gene: 308

Ramunno L, Cosenza G, Rando A, Macciotta NPP, Pappalardo M & Masina P: Identification of carriers of the Welsh casein 1 variant using an allele-specific polymerase chain reaction method, 154

Ramunno L *see also* Senese C

Rando A *see* Carbone M
 see also Ramunno L
 see also Senese C

Ray K *see* Gu WK
 see also Wang W

Rege E *see* Hanotte O

Reid R *see* Coogle L
 see also Bailey E

Rettenberger G *see* Soumillion A

Rexroad CE *see* Ashwell MS

Rico C *see* Surridge AK

Riquet J *see* Robic A

Robic A, Milan D, Woloszyn N, Riquet J, Yerle M, Nagel M, Bonnet M, Pinton P, Dalens M & Gellin J: Contribution to the physically anchored linkage map of the pig, 94

Robic A *see also* Sun HS

Rodellar C *see* García-Muro E

Røed KH, Midthjell L, Bjørnstad G & Olsaker I: Equine dinucleotide repeat microsatellites at the NVHEQ5, NVHEQ7, NVHEQ11, NVHEQ18 and NVHEQ24 loci, 381

Rohrer GA, Alexander LJ & Beattie CW: Mapping genes located on human chromosomes 2 and 12 to porcine chromosomes 15 and 5, 448

Rohrer GA, Alexander LJ, Beattie CW, Willie P, Flickinger GH, Schook LB, Paszek AA, Andersson L, Mariani P, Marklund L, Fredholm M, Hoyheim B, Archibald AL, Nielsen VH, Milan D & Groenem MAM: A consensus linkage map for swine chromosome 7, 223

Rohrer GA, Vögeli P, Stranzinger G, Alexander LJ & Beattie CW: Mapping 28 erythrocyte antigen, plasma protein and enzyme polymorphisms using an efficient genomic scan of the porcine genome, 323

Rohrer GA *see also* Hu Z

Ron M *see* Band M

Rothschild MF *see* Sun HS

Russell GC, Davies CJ, Andersson L, Ellis SA, Hensen EJ, Lewin HA, Mikko S, Muggli-Cockett NE & van der Poel JJ: BoLA class II nucleotide sequences, 1996. Report of the ISAG BoLA Nomenclature Committee, 169

Russell GC *see also* Davies CJ

Ryan AM, Schelling CP, Womack JE & Gallagher Jr DS: Chromosomal assignment of six muscle-specific genes in cattle, 84

Sota E *see* Nogaj A

Sadhgiri M *see* Cambridge LM

Sakagami M *see* Hiromura K

Sampson J *see* Thomas R

Sánchez A *see* Francino O

Sánchez L *see* Bouza C

Sandberg K A *see* Niini T

Sanders JO *see* Taylor JF

Sargan DR *see* Gould DJ

Schelling CP *see* Dolf G
see also Ryan AM

Schläpfer J, Kata SR, Amarante MRV & Womack JE: Syntenic assignment of thrombomodulin (THBD) and phosphatidylinositol-specific phospholipase C (PLC-II) to bovine chromosome 13, 309

Schläpfer J *see* Dolf G

Schmutz SM *see also* Marquess FLS

Schook LB *see* Rohrer GA

Schweitzer JK *see* Meyer AH

Seely C *see* Nasir L

Selvaraj OS *see* Barker JSF

Senese C, Motavalian M, Urciuoli M, Di Gregorio P, Ramunno L, Rando A & Masina P: Two bovine polymorphic microsatellite loci (PZ251 and PZB2F), 318

Senese C *see also* Carbone M

Sheldon BL *see* Toye AA

Shimazaki K *see* Lee TH

Shrode TW *see* Piedrahita JA

Signer EN & Jeffreys AJ: Rapid genotyping of a pig minisatellite using long PCR, 311

Skow LC *see* Bailey E

Smith EJ, Huang H-B, Hsei M & Zahorachak R: Two turkey genomic fragments containing minisatellite repeats reveal polymorphic DNA fingerprints, 246

Snell RJ *see* McCracken JY

Snoj A *see* Susnik S

Sokolova OV, van Oorschot RAH & VandeBerg JL: Aldolase C polymorphism in the laboratory opossum, *Monodelphis domestica*, 358

Solinas-Toldo S *see* Grosz MD

Soller M *see* Nave A

Soumilion A, Rettenberger G, Vergouwe MN, Erkens JHF, Lenstra JA & te Pas MFW: Assignment of the porcine loci for *MYOD1* to chromosome 2 and *MYF5* to chromosome 5, 37

Stear MJ *see* Nasir L

Stone RT, Kappes SM, Keele JW & Beattie CW: Characterization of 109 bovine microsatellites, 63

Stone RT *see also* de Gortari MJ
see also Grosz MD
see also Hu Z
see also McGraw RA

Stranzinger G *see* Rohrer GA

Stratil A, Cepica S, Cizova-Schroffelova D & Geldermann H: Some new variants of serum protease inhibitors in Meishan pigs, 446

Stratil A, Peelman L, Van Poucke M & Cepica S: A *Hinf* PCR-RFLP at the porcine leptin (*LEP*) gene, 371

Stratil A *see also* Kopecný M
see also Niini T

Sulandari S, Muladno, Harumi T, Yanai S, Wada Y & Yasue H: Localization of swine PRE-1 homologues in 13 loci of *Phacochoerus aethiopicus* and *Tayassu tajacu* genomes, and their sequence divergence, 210

Sun HS, Taylor C, Robin A, Wang L, Rothschild MF & Tuggle CK: Mapping of growth hormone releasing hormone receptor to swine chromosome 18, 351

Sundvolde H, Olasker I, Gomez-Raya I & Lien S: The gene encoding the peroxisome proliferator-activated receptor (PPARA) maps to chromosome 5 in cattle, 374

Sundvold H *see also* Lien SH

Surridge AK, Bell DJ, Rico C & Hewitt GM: Polymorphic microsatellite loci in the European rabbit (*Oryctolagus cuniculus*) are also amplified in other lagomorph species, 302

Susnik S, Snoj A, Pohar J & Dovc P: The microsatellite marker (BFRO 002), characteristic for different geographically remote brown trout, *Salmo trutta* L., populations, 372

Sutarno & Lymberry AJ: New RFLPs in the mitochondrial genome of cattle, 241

Suzuki H *see* Kikkawa Y

Swarbrick PA & Crawford AM: The red deer (*Cervus elaphus*) contains two expressed major histocompatibility complex (MHC) class II *DQB* genes, 49

Swinburne JE, Marti E, Breen M & Binns MM: Characterization of twelve new horse microsatellite loci: AHT12-AHT23, 453

Switonski M *see* Dolf G

Tan SG *see* Barker JSF

Tanabe R *see* Chikuni K

Tate ML *see* He K

Taylor C *see* Sun HS

Taylor JF *see* Marquess FLS
see also Yeh C-C

Taylor JF, Lutaaya E, Sanders JO, Turner JW & Davis SK: A medium density microsatellite map of BTA10: Reassignment of *INRA69*, 360

Taylor StCS *see* Jamieson A
te Pas MFW *see* Soumilion A

Teale A *see* Hanotte O
see also Agaba M

Thieven U *see* Drögemüller C

Thomas R, Holmes NG, Fischer PE, Dickens HF, Breen M, Sampson J & Binns MM: Eight canine microsatellites, 153

Thomsen B *see* Nielsen VH

Thøgård G *see* Alcivar-Warren A

Toye AA, Burnstead N & Moran C: A pentanucleotide repeat polymorphism maps progesterone receptor (PGR) to chicken chromosome 1, 317

Toye AA, Burnstead N & Moran C: Chicken solute carrier family 4 anion exchanger member 1 (*SLC4A1*): microsatellite polymorphism and mapping, 317

Toye AA, Van Hest BJ, Sheldon BL & Moran C: Linkage between growth hormone (*GH1*) and solute carrier family 4 anion exchanger member 1 (*SLC4A1*) is conserved between birds and mammals, 457

Tsuji S *see* Mannen H

Tuggle CK *see* Heltemes LM

Tuttle CK *see* Sun HS

Turner JW *see* Taylor JF

Urciuoli M *see* Carbone M
see also Senese C

Urquhart BGD *see* Olsaker I

Usha AP, Lester DH & Williams JL: Dwarfism in Dexter cattle is not caused by the mutations in FGFR3 responsible for achondroplasia in man, 55

Vägå DI *see* Lien SH

Vaiman D *see* Band M

Valberg SJ *see* Meyer AH

Valentini A *see* Ajmone-Marsan P

Vallejo RL, Pharr GT, Liu HC, Cheng HH, Witter RL & Bacon LD: Non-association between *Rfp*-Y MHC-like genes and susceptibility to Marek's disease virus induced tumours in $6_3 \times 7_2 F_2$ intercross chickens, 331

Van der Poel JJ *see* Crooijmans RPMA
see also Davies CJ
see also Russell GC
see also Crooijmans RPMA

van Heelsum AM, Haley CS & Visscher PM: Marker assisted introgression using non-unique marker alleles II: selection on probability of presence of the introgressed allele, 188

van Heelsum AM, Visscher PM & Haley CS: Marker assisted introgression using non-unique marker alleles I: selection on presence of linked marker alleles, 181

Van Hest BJ *see* Toye AA

van Oorschot RAH *see* Sokolova OV

Van Poucke M *see* Stratil A

van Stijn T *see* Phua SH

VandeBerg JL *see* Sokolova OV

VanRaden PM *see* Ashwell MS

Vecchiotti-Antaldi G *see* Ajmone-Marsan P

Vergouwe MN *see* Soumilion A

Verjee Y *see* Hanotte O
 Veske A, Nilsson SEG & Gal A:
 Microsatellite (CA)_n polymorphism in
 intron 2 of the canine rod photoreceptor
 cGMP-phosphodiesterase α -subunit
 gene, 380
 Veske A, Nilsson SEG & Gal A:
 Microsatellite (TTC)_n polymorphism in
 intron 6 of the canine cGMP-gated cation
 channel α -subunit gene, 374
 Vignal A *see* Dufour E
 Visscher PM *see* van Heelsum AM
 see also van Heelsum AM
 Vögeli P *see* Rohrer GA
 Volckaert F *see* Daemen E
 Wada Y *see* Sulandari S
 Waldbieser GC & Bosworth BG: Cloning
 and characterization of microsatellite
 loci in channel catfish, *Ictalurus*
 punctatus, 295
 Wang L *see* Sun HS
 Wang W, Aguirre GD & Ray K: PCR/RFLP
 marker in the canine transducin- γ gene
 (*GNCT1*), 319
 Wardle AF *see* Gibbs M
 Weaks RL, Ramsoondar JJ, Gallagher, Jr DS,
 Nogues C & Piedrahita JA: Isolation,
 characterisation, and chromosomal
 localization of the porcine ciliary
 neurotrophic factor (CNTF) gene, 354
 Weeks RL *see also* Piedrahita JA
 Wei R, Dentine MR & Bitgood JJ: Random
 amplified polymorphic DNA (RAPD)
 markers in crosses between inbred lines
 of Rhode Island red and white leghorn
 chickens, 291
 Weigend S *see* Kuhnlein U
 Wictum E *see* Bowling AT
 see also Eggleston-Stott M
 see also Eggleston-Stott ML
 Wilkie P *see* Rohrer GA
 Wilkins RJ & Davey HW: A polymorphic
 microsatellite in the bovine leptin gene,
 376
 Wilkins RJ *see also* McCracken JY
 Williams JL *see* Olsaker I
 see also Usha AP
 Wilton SD *see* He K
 Witter RL *see* Vallejo RL
 Woloszyn N *see* Robic A
 Womack JE *see* Elduque C
 see also Gao Q
 see also Piedrahita JA
 see also Ryan AM
 see also Schläpfer J
 Wood NJ *see* Phua SH
 Yanai S *see* Sulandari S
 Yasue H *see* Sulandari S
 Yasui M *see* Mannen H
 Yeh C-C, Kogi JK, Holder MT, Guerra TM,
 Davis SK & Taylor JF: Caprine
 microsatellite dinucleotide repeat
 polymorphisms at the *SR-CRSP21*, *SR-*
 CRSP22, *SR-CRSP23*, *SR-CRSP24*, *SR-*
 CRSP25, *SR-CRSP-26*, and *SR-CRSP27*
 loci, 381
 Yerle M *see* Robic A
 Yonekawa H *see* Kikkawa Y
 Yu DY *see* Lee TH
 Yu SL *see* Lee TH
 Zadworny D *see* Kuhnlein U
 Zahorchak R *see* Smith EJ
 Zajac M *see* Dolf G
 Zanotti M, Del Bo L, Longerini M, Polli M,
 Ceriotti G & Kemp SJ: Two polymorphic
 microsatellite markers in sheep, 68
 Zaragoza P *see* Elduque C
 see also García-Muro E
 see also Martín-Burriel I
 Zhang HM *see* Maciulla JH
 Ziegler JS *see* Heyen DW

Keyword index

| | | | | | |
|----------------------------|--------------------------------|---|----------|-------------------------------------|-------------------------------------|
| achondroplasia | 55 | DOB | 159 | LMP | 159 |
| African shorthorned zebu | 77 | dog | 41 | major histocompatibility | |
| aldolase C | 358 | DQB | 49, 441 | complex | 159, 258, 441 |
| alleles | 441 | DRB | 41 | map | 223 |
| allele frequencies | 77 | dwarfism | 55 | mapping | 14, 235 |
| allozymes | 103 | DYB | 159 | marker-assisted introgression | 181, 188 |
| animal breeding | 181, 188 | egg | 116 | MHC | 41, 49, 159, 331 |
| anoa | 195 | endogenous viruses | 46 | <i>Mhc-Sasa</i> | 385 |
| antibacterial activity | 367 | enriched library | 401 | microsatellite | 14, 21, 37, 52, 94, 103, |
| antigen binding site | 41 | equine | 438 | 129, 202, 247, 274, 295, 302, | |
| apolipoprotein | 306 | erythrocyte antigen | 323 | 338, 360, 397, 427, 438 | |
| Asian water buffalo | 103 | European rabbit | 302 | microsatellite markers | 216 |
| ASPM-PCR | 230 | ev genes | 46 | microsatellite polymorphism | 401 |
| Atlantic salmon | 385 | evA | 46 | milk production | 216 |
| biochemical marker | 1 | exclusion probability | 21 | minisatellite | 52 |
| biochemical polymorphism | 338 | fluctuating asymmetry | 28 | mitochondrial gene for cytochrome b | 195 |
| blood groups | 202 | fluorescence <i>in situ</i> hybridization | 84, 94 | molecular phylogenetics | 103 |
| BoLA | 159 | gene | 88 | <i>Monodelphis domestica</i> | 358 |
| BoLA-A | 159 | gene diversity analysis | 28 | multiplex PCR | 230 |
| bootstrap values | 338 | gene mapping | 84, 146 | multiplexes | 21 |
| bovine | 14, 39, 84, 235, 253, 360, 363 | gene tree | 116 | muscle | 84 |
| bovine growth hormone | 230 | generalized progressive retinal | | mutation | 247, 438 |
| bovine lymphocyte antigens | 159 | atrophies | 391 | <i>MYF5</i> | 37 |
| bovine Rh-like transcripts | 202 | genetic conservation | 338 | <i>MYF6</i> | 37 |
| <i>Brn-3a</i> gene | 346 | genetic diversity | 103 | <i>MYOD1</i> | 37 |
| broiler | 258 | genetic linkage | 253, 360 | <i>MYOG I</i> | 37 |
| BTA10 | 360 | genetic mapping | 202, 401 | null alleles | 247, 438 |
| <i>Bubalus bubalis</i> | 103 | genetic markers | 52, 291 | opossum | 358 |
| canine genetics | 391 | genetic polymorphism | 139, 306 | <i>Oryctolagus cuniculus</i> | 302 |
| carp | 129 | genetic resistance | 331 | outbred populations | 181, 188 |
| casein kinase II | 146 | genetic variants | 233, 446 | ovine | 274 |
| catfish | 295 | genetics | 295 | parentage | 397, 438 |
| cattle | 52, 55, 146, 441 | genome mapping | 55, 139 | parentage testing | 21, 247 |
| cattle breeds | 338 | growth hormone | 88, 116 | PCR | 37, 146, 302, 418 |
| chicken | 46, 258, 291, 346, 401, 427 | growth hormone gene | 124 | PCR-RFLP | 41 |
| chicken repeat | 1139 | haploid and diploid pedigrees | 385 | peccary | 210 |
| chromosomal assignment | 37 | heterozygosity | 129, 274 | performance traits | 124 |
| chromosome | 17, 14 | hippopotamus | 210 | photoreceptor dysplasia | 391 |
| class I | 159, 385 | horse | 233, 306 | phylogeny | 1, 195 |
| class II | 159, 441 | horse genetics | 247 | physical mapping | 202 |
| class II genes | 41 | human | 351, 448 | pig | 37, 88, 94, 124, 223, 351, 446, 448 |
| classification | 77 | hybrid panel | 94 | polled | 363 |
| cloning methods | 401 | IGF-1 | 88 | polymorphism 1 water buffalo | 1 |
| CNTF | 354 | inbred lines | 291 | polymorphism | 41, 49, 230, 258, 299, 358 |
| comparative gene mapping | 351 | inverse PCR | 46 | POU domain | 346 |
| comparative map | 448 | karyotype | 77 | poultry | 116 |
| comparative mapping | 37, 253 | Korean Native goat | 367 | PRE-1 | 210 |
| consensus | 223 | lactoferrin polymorphism | 367 | probability formulae | 397 |
| conservation genetics | 302 | lagomorphs | 302 | production | 116 |
| CR1-PCR | 139 | leukaemia inhibitory factor | 14 | progressive rod-cone dysplasia | 391 |
| cytokine | 354 | LIF | 14 | protease inhibitors | 446 |
| dairy cattle | 216 | linkage | 306 | protein polymorphism | 323 |
| deer | 299 | linkage analysis | 331 | QTL | 124 |
| <i>DIB</i> | 159 | linkage map | 323 | quantitative trait loci | 88, 181, 188, 216 |
| disease resistance | 116 | linkage studies | 94 | RAPD | 135 |
| disease susceptibility | 331 | | | RAPD-PCR | 291 |
| <i>DMA</i> | 159 | | | red deer | 49 |
| <i>DMB</i> | 159 | | | | |
| DNA | 159, 295 | | | | |
| DNA sequences | 159 | | | | |

| | | | | | |
|-----------------------------|----------|----------------------------------|----------|----------------------------------|-----|
| repetitive element | 139 | sequence-tagged site | 139 | swine SINE | 210 |
| reproduction | 295 | sex determination | 135 | | |
| restriction polymorphism | 418 | sheep embryos | 135 | <i>TAP</i> | 159 |
| retinitis pigmentosa | 391 | single-stranded conformation | | T-cell receptor | 235 |
| RFLPs | 116 | polymorphism | 391 | tetraploidy | 129 |
| <i>Rfp</i> Y haplotype | 331 | <i>Skn-1/E poc-1/Oct-11</i> gene | 346 | transferrin | 233 |
| river buffalo | 84 | SOD1 | 360 | turbot | 28 |
| rod-cone dysplasia type 1 | 391 | somatic cell | 94 | variability | 385 |
| sanga | 77 | somatic cell hybrid analysis | 37 | variable number of tandem repeat | |
| SCAR | 135 | somatic cell mapping | 84 | (VNTR) loci | 52 |
| <i>Scophthalmus maximus</i> | 28 | somatic cell score | 216 | | |
| selection | 116, 295 | SSC7 | 223 | warthog | 210 |
| selective amplification | 418 | STRs | 247 | water buffalo | 195 |
| sequence analysis | 195 | superoxide dismutase | 299 | | |
| | | swine | 323, 354 | YAC | 360 |